



STATUS REPORT

Industrial Wastewater Pretreatment Program Binghamton-Johnson City Joint Sewage Board Vestal, NY

GHD Job No. 12636434

June 2025

OFFICIAL CORRESPONDENCE

New Industrial User Permit Draft: International Paper Inc.

Permit Renewal:

Binghamton General	GBHC
Norfolk Southern Rail	

General Scope Budget Status

This Month	\$ 4,000
To Date	\$ 12,000
Contract	\$ 90,200
Balance	\$ 78,200

MAJOR WORK EFFORTS

First Half 2025 PCR Review

2024 EPA Audit – EPA Follow Up Questions

2024 Industrial Survey Report

Permit Renewal:

Binghamton WFP	Lourdes Hospital
SUNY Broome	Wilson Memorial

Industrial Survey Budget Status

This Month	\$ 500
To Date	\$ 15,500
Contract	\$ 22,000
Balance	\$ 6,500

STATUS OF ON-GOING WORK

2025 Annual Inspection Planning

Firomar Inc. – Industrial User Evaluation

NUMBER OF PERMITTED USERS

Number of Permitted Users	18
---------------------------	-----------



STATUS OF FINES

2024 & 2025 Calendar Year Status of Fines				
Industrial User	Fine Amount	Amount Paid to Date	Amount Outstanding	Aging (months)
Binghamton Water Filtration	\$2,350	\$2,350	--	NA
Frito Lay	\$100	\$100	--	NA
SUNY Broome	\$750	\$750	--	NA
Binghamton University	\$500	\$500	--	NA
Binghamton University	\$250	\$250	--	NA
Total	\$3,950	\$3,950	--	--

**Binghamton-Johnson City Joint Sewage Board
Industrial Wastewater Pretreatment Program
Program Status**

Date: June 30, 2025

Industry	Discharge Location	Pretreatment Classification	Permit Expiration	Surcharging Status	Anticipated Inspection Date	Compliance Status
AllSpec Finishing Corporation	Binghamton	Metal Finishing (Categorical)	3/31/2027	-	2nd Quarter	Late PCR (2nd half 2012) Late PCR (1st half 2014) pH effluent limit violation (1st half 2014); failure to report Missing BOD analyses (1st half 2014) pH effluent limit violation (2nd half 2014) pH effluent limit violation (2nd half 2015) TTO effluent limit violation (2017 annual inspection) Late PCR (1st half 2021)
Ametek, Inc. - Aerospace & Defense	Binghamton	Aircraft Parts Manufacturing (Non-categorical)	3/31/2027	-	2nd Quarter	Late PCR (Due 12-31-11, Received 2-23-12) Copper & Lead exceedances; TRC Violations (2nd half 2011) Improper notification of limit exceedance (2nd half 2011) No submittal of resampling results (2nd half 2011) Omitted silver, cyanide, and pH analyses (2nd half 2011) Lead exceedance (1st half 2012), resampling in compliance Omitted Ag analysis from PCR (1st half 2012) Lead and copper effluent violation (2018 annual inspection) Late PCR (1st half 2021) Copper, lead, and pH effluent limit violation (2022 annual inspection) Lead and pH effluent limit violation (2nd half 2022) pH effluent limit violation (2nd half 2023)
Bates Troy, Inc.	Binghamton	Linen Supply and Laundry (Non-categorical)	6/30/2027	-	3rd Quarter	Late PCR submittal (1st half 2012) pH effluent limit violation (1st half 2014) Late submission of PCR (2nd half 2016) Failure to provide 4 consecutive days of sampling (1st half of 2023)
Binghamton General Hospital	Binghamton	Hospital (Non-Categorical)	6/30/2028	-	4th Quarter	Late Permit Fee Payment (Due 12-31-08, Rcvd 7-15-09) Late PCR (2nd Half 2010, Rcvd Jan 2011) Late PCR (2nd half 2016) Late PCR (2nd half 2024)

**Binghamton-Johnson City Joint Sewage Board
Industrial Wastewater Pretreatment Program
Program Status**

Date: June 30, 2025

Industry	Discharge Location	Pretreatment Classification	Permit Expiration	Surcharging Status	Anticipated Inspection Date	Compliance Status
Binghamton Water Filtration Plant	Binghamton	Water Treatment (Non-categorical)	6/30/2024	TSS Flow	3rd Quarter	Late Slug Control Plan (Due 3-31-08, Rcvd 4-17-09) Late Permitting Fee (Due 12-31-08, Rcvd 11-06-09) Omitted TSS sampling (1st half 2009 PCR) Late Surcharge Payment (Due 10-30-09, Rcvd 01-06-10) Late Finished Water Volume Data (for Sept, Oct, Rcvd 12-4-09) Late PCR (Due 12-31-09, Rcvd 2-08-10) - SNC Late PCR (Due 6-31-10, Rcvd July 2010) Mercury Exceedance (Settling Basin No. 1 Cleaning, 6-4-2010) Mercury Exceedance (Settling Basin No. 2 Cleaning, 2nd Half 2010) Omitted Cadmium & Mercury Sampling (Settling Basin No. 3 Cleaning, 2nd Half 2010) Late PCR (Due 7-31-10, Rcvd 8-5-2011) Mercury Exceedance (Settling Basins No. 1 & 3 Cleaning, 1st Half 2011) Late PCR (Due 1-31-12, Received 2-22-11) Mercury exceedance (Basin No. 1 cleaning, 2nd half 2011) Improper notification of limit exceedance (2nd half 2011) No submittal of resampling results (2nd half 2011) Omitted nickel analysis (Filter backwash, 2nd half 2011)
Binghamton Water Filtration Plant (continued)	Binghamton	Water Treatment (Non-categorical)	6/30/2024	TSS Flow	3rd Quarter	Late PCR (2nd half 2012) Late PCR (1st half 2013) Copper effluent limit violation (1st half 2013) Failure to report and resample - Effluent limit violation (1st half 2013) Mercury effluent limit violation (2nd half 2013) Failure to report - Effluent limit violation (2nd half 2013) Late PCR (1st half 2014) Pb & Cu effluent limit violation (1st half 2014); failure to report violation Missing Hg analysis (1st half 2014) Late PCR (1st half 2015) Late PCR (2nd half 2015) Late PCR and Failure to Report Flow (1st half 2016) Late PCR (2nd half 2016) Late PCR (1st half 2018) Late PCR (2nd half 2018) Late PCR (1st half 2019) Omitted Mercury analysis (Filter backwash, 2nd half 2019) Mercury effluent limit violation (1st half 2020) Late PCR (2nd half 2020) Copper effluent limit violation (1st half 2024) Copper and Mercury effluent limit violation, failure to notify, failure to resample (2nd half 2024)

**Binghamton-Johnson City Joint Sewage Board
Industrial Wastewater Pretreatment Program
Program Status**

Date: June 30, 2025

Industry	Discharge Location	Pretreatment Classification	Permit Expiration	Surcharging Status	Anticipated Inspection Date	Compliance Status
Binghamton University	Binghamton	College or University (Non-categorical)	11/14/2027	-	3rd Quarter	<p>Oil & Grease Exceedance (08-08, 11-08, 2-09, 5-09, 12-09) Late Oil & Grease Action Plan (Due, 7-1-09, Recvd 7-31-09) Late PCR (Due 6-30-09, Rcvd 7-15-09) Oil & Grease exceedance (4th quarter 2011) No submittal of resampling results (2nd half 2011) Oil & Grease exceedance (1st quarter 2012), resampling in compliance SNC due to failure to report Oil & Grease exceedance (1st quarter 2012), and failure to report resampling results within 60 days Oil & Grease, copper effluent limit violations (2nd half 2012) Oil & Grease, mercury effluent limit violations (1st half 2013) Oil & Grease effluent limit violation (2nd half 2013) Oil & Grease effluent limit violation (1st half 2014) Oil & Grease effluent limit violation (2nd half 2014) Failure to provide oil and grease trap cleaning records (2nd half 2015) Failure to provide oil and grease trap cleaning records (1st half 2016) Failure to provide oil and grease trap cleaning records (2nd half 2016) Oil & Grease effluent limit violations and failure to report (1st half 2017) Failure to provide oil and grease trap cleaning records (2nd half 2017) Oil & Grease effluent violation, failure to report (1st half 2018) Oil & Grease effluent violation (1st half 2019) Oil & Grease effluent violation, failure to notify (2nd half 2019) Oil & Grease effluent violation (1st half 2020) Oil & Grease effluent violation (2nd half 2020) Oil & Grease effluent violation (1st half 2021) Late PCR & Failure to sample for Mercury (2nd half 2021) Oil & Grease effluent violation, failure to resample, failure to report, omitted metals sampling (2nd half 2022) Failure to provide FOG management plan (1st and 2nd half 2023)</p>

**Binghamton-Johnson City Joint Sewage Board
Industrial Wastewater Pretreatment Program
Program Status**

Date: June 30, 2025

Industry	Discharge Location	Pretreatment Classification	Permit Expiration	Surcharging Status	Anticipated Inspection Date	Compliance Status
SUNY Broome Community College	Binghamton	College or University (Non-categorical)	5/31/2025	-	3rd Quarter	No PCR submitted (2nd half 2012) O&G, copper effluent limit violations (1st Half 2013) Mercury effluent limit violation (1st Half 2013) Mercury Effluent violation (1st half 2014) Late PCR (2nd half 2014) Copper Effluent Violation (2nd half 2015); failure to report, resampling in compliance Late PCR (1st half 2016) Late PCR (2nd half 2016) Late PCR (1st half 2017) Cu and Oil & Grease effluent limit violation, failure to report (2nd half 2017) Oil & Grease effluent violation and failure to report (2nd half 2018) Oil & Grease, Copper, and Mercury effluent violations (1st half 2019) Oil & Grease, Copper, and Mercury effluent violations (1st half 2019 - Resample) Oil & Grease, Copper effluent violations, failure to notify (2nd half 2019) Oil & Grease effluent violation, failure to notify (1st half 2022) Copper and Mercury effluent violations (2nd half 2022) Zinc effluent violation (2023 annual inspection) Oil & Grease effluent violation, failure to resample, failure to notify (2nd half 2024)
Buckeye Terminals, LLC	Johnson City	Bulk Petroleum Storage (Non-Categorical)	6/30/2026	-	3rd Quarter	Omitted Metals sampling (2nd Half 2010) Late PCR (2nd half 2021)
TCMF Inc., DBA, C.H. Thompson Finishing	Binghamton	Metal Finishing (Categorical)	2/28/2027	-	2nd Quarter	Omitted iron analysis results (2nd half 2014)
Conklin (Town of) Landfill	Binghamton	Landfills (Non-Categorical)	5/31/2025	-	4th Quarter	OK
Crysta-Lyn Chemical Co., INC	Binghamton	Organic Chemicals, Plastics and Synthetic Fibers (Categorical)	11/17/2025	-	NA	Naphthalene Limit Violation (2nd half 2019) Failure to sample for metals (2nd half 2020) Permit terminated; effective January 1, 2025.
Elliott Manufacturing	Binghamton	Rubber Manufacturing (Non-Categorical)	6/30/2026	-	NA	Failure to sample for Total Silver (2nd half 2024) Permit terminated; effective March 31, 2025

**Binghamton-Johnson City Joint Sewage Board
Industrial Wastewater Pretreatment Program
Program Status**

Date: June 30, 2025

Industry	Discharge Location	Pretreatment Classification	Permit Expiration	Surcharging Status	Anticipated Inspection Date	Compliance Status
Frito Lay	Binghamton	Food Manufacturer (Non-Categorical)	12/31/2026	BOD TSS	3rd Quarter	Oil & Grease Exceedance (12-08, 3-09, 5-09, 10-09, 11-09, 12-09, 2-10) Re-Sample in Compliance (06-09, 11-09) Oil & Grease Action Plan Recvd 3-09 Status of Oil & Grease Action Plan (Due 10-23-09, Recvd 10-16-09) Omitted Metals Sampling (Annual 2010 Requirement) Oil & Grease Exceedance (February 2012); resampling in compliance Failure to report: pH, Total Phos., Nitrates/Nitrites/TKN, TSS, BOD (1st half 2017) Oil & Grease Exceedance (9/11/19) Failure to report: Total Phos., Nitrates/Nitrites/TKN (2nd half 2019) BOD effluent limit violations (1st and 2nd half 2020) BOD effluent violations (1st half 2021) pH effluent violation (1st half 2023) BOD effluent violation, failure to sample for phosphorus (1st half 2023) BOD effluent limit violation (1st half 2024) Oil & Grease exceedance (2nd half 2024) BOD effluent limit violation (1st half 2025)
Greater Binghamton Health Center	Binghamton	Hospital (Non-Categorical)	6/30/2028	-	4th Quarter	Late Permit Fee Payment (Due 12-31-08, Rcvd 7-28-09) Late PCR (2nd half 2016)
i3 Assembly, LLC	Binghamton	Printed Circuit Assembly (Non-categorical)	11/17/2025	-	4th Quarter	Late PCR (1st half 2018) Lead Exceedance (2nd half 2018) Late PCR (2nd half 2021) pH effluent violation (2nd half 2022)
Norfolk Southern Rail (formerly Canadian Pacific Railway)	Binghamton	Railway Facility (Non-Categorical)	6/30/2028	-	2nd Quarter	Oil & Grease Exceedance (12-08, 3-09, 6-09) Oil & Grease Action Plan Recvd 3-09 Secondary Oil & Grease Action Plan Due 10-23-09, rcvd 10-14-09 Omitted Nickel & Mercury (1st half 2011) No resampling of previously omitted Nickel & Mercury (2nd half 2011) pH effluent limit violation (2nd half 2017)
Our Lady of Lourdes Memorial Hospital	Binghamton	Hospital (Non-Categorical)	10/31/2024	-	3rd Quarter	Late PCR (1st half 2010) - PCR Received by deadline (10-22-10) Late PCR (1st Half 2011) Late PCR (2nd Half 2011) Late PCR (1st Half 2012) Late PCR, significantly non-compliant (1st Half 2013) Late PCR (2nd half 2014) Late PCR (1st half 2015) Late PCR (2nd half 2015) Late PCR (2nd half 2016) Late PCR (2nd half 2017) Late PCR (1st half 2018) Failure to Provide Water Meter Records (2nd Half 2018) Late PCR (1st half 2023) - SNC

**Binghamton-Johnson City Joint Sewage Board
Industrial Wastewater Pretreatment Program
Program Status**

Date: June 30, 2025

Industry	Discharge Location	Pretreatment Classification	Permit Expiration	Surcharging Status	Anticipated Inspection Date	Compliance Status
Triple Cities Metal Finishing Corporation	Binghamton	Metal Finishing (Categorical)	2/28/2027	-	2nd Quarter	Omitted Iron sampling (2nd Half 2010 PCR) Incomplete PCR - unsigned (1st half 2013) Metals effluent violation (2022 annual inspection)
Wilson Memorial Hospital	Johnson City	Hospital (Non-Categorical)	1/31/2025	-	2nd Quarter	Late Permit Fee Payment (Due 12-31-08, Rcvd 7-15-09) Illegal Rag/Towel Discharge to Sewer (9-10, 10-10, 12-10, 1-11) Late Action Plan (Due 11-9-10, Rcvd 11-18-10) Late PCR (2nd Half 2010, Rcvd Jan 2011) Late PCR (2nd half 2016) Late PCR (2nd half 2024)

Notes:

BOLD = New or Updated Information for this Month.